




**Prepare the  
Scientists and Engineers  
of Tomorrow**

---

Get students ready for their next step—in school, at work, or in life—with the use of Vernier technology. Our extensive resources make it easy to incorporate technology into your lab to educate, inspire, and prepare your students for the future.

## Why Vernier?

Our durable hardware and quality software are designed and priced for hands-on student use. Give your students the opportunity to gain practical, relevant data-collection and analysis experience that they can use wherever they go next.



## Endless Possibilities

We have ready-to-go experiments and resources in a wide variety of subjects, including

BIOLOGY • CHEMISTRY • PHYSICS • ENGINEERING  
AGRICULTURAL SCIENCE • ENVIRONMENTAL SCIENCE • PHYSIOLOGY

Our sensors and data-collection technology are so versatile that you can use them in nearly any science or engineering course.



Join these institutions, and hundreds of others,  
already using Vernier technology

|                                       |   |
|---------------------------------------|---|
| Arizona State University              | Saint Mary's University                   |
| Benedictine University                | Stanford University                       |
| California State University—Fullerton | Sungkyunkwan University                   |
| Charles University                    | TEC Monterrey                             |
| Colorado School of Mines              | Technical University Federico Santa María |
| Cornell College                       | Technical University of Munich            |
| Delft University of Technology        | Texas A&M                                 |
| Dickinson College                     | Trinity College Dublin                    |
| ETH Zurich                            | Universidad Nacional Autónoma de México   |
| Georgia Tech                          | University College London                 |
| Harvard University                    | University of Birmingham                  |
| Haskell Indian Nations University     | University of British Columbia            |
| Immaculata University                 | University of California—Berkeley         |
| Imperial College London               | University of Cambridge                   |
| Instituto Tecnológico da Aeronáutica  | University of Chicago                     |
| Lund University                       | University of Edinburgh                   |
| Massachusetts Institute of Technology | University of Glasgow                     |
| Miami University                      | University of Hong Kong                   |
| Nanjing Normal University             | University of Manchester                  |
| National University of Colombia       | University of New South Wales             |
| National University of Singapore      | University of Pennsylvania                |
| Oregon State University               | University of Sydney                      |
| Princeton University                  | University of Washington                  |
| Queen Mary University of London       | Yale University                           |



I really appreciated that Vernier is very supportive of schools.  
Your customer service is excellent, and we are very happy  
to use Vernier products in our labs.

Joy Nguyen  
California State University—Monterey Bay

QUALITY

*Durable hardware for lab  
and field use*

•

AFFORDABLE

*Designed for education and  
educational budgets*

•

VERSATILE

*Supports a variety of devices  
and experiments*



Website  
[www.vernier-intl.com](http://www.vernier-intl.com)

# Chemistry Products

## Go Direct Sensors

| Sensor                            | Order Code |
|-----------------------------------|------------|
| Go Direct® Colorimeter            | GDX-COL    |
| Go Direct Conductivity            | GDX-CON    |
| Go Direct Constant Current System | GDX-CCS    |
| Go Direct Current                 | GDX-CUR    |
| Go Direct Drop Counter            | GDX-DC     |
| Go Direct Electrode Amplifier     | GDX-EA     |
| Go Direct Gas Pressure            | GDX-GP     |
| Go Direct Melt Station            | GDX-MLT    |
| Go Direct ORP                     | GDX-ORP    |
| pH Sensors                        |            |
| Go Direct Glass-Body pH           | GDX-GPH    |
| Go Direct pH                      | GDX-PH     |
| Go Direct Tris-Compatible Flat pH | GDX-FPH    |
| Go Direct Polarimeter             | GDX-POL    |
| Go Direct Radiation Monitor       | GDX-RAD    |
| Go Direct SpectroVis® Plus        | GDX-SVISPL |
| Temperature Probes                |            |
| Go Direct Surface Temperature     | GDX-ST     |
| Go Direct Temperature             | GDX-TMP    |
| Go Direct Wide-Range Temperature  | GDX-WRT    |
| Go Direct Voltage                 | GDX-VOLT   |

## LabQuest Sensors

| Sensor   | Order Code |
|--|------------|
| Colorimeter  | COL-BTA    |
| Conductivity Probes  |            |
| Conductivity Probe   | CON-BTA    |
| Platinum-Cell Conductivity Probe                           | CONPT-BTA  |
| Current Probes   |            |
| Constant Current System                                    | CCS-BTA    |
| Current Probe  | DCP-BTA    |
| Drop Counter   | VDC-BTD    |
| Electrode Amplifier  | EA-BTA     |
| Gas Pressure Sensors                                       |            |
| Gas Pressure Sensor  | GPS-BTA    |
| Pressure Sensor 400  | PS400-BTA  |
| Instrumentation Amplifier                                  | INA-BTA    |
| Melt Station   | MLT-BTA    |
| ORP Sensor   | ORP-BTA    |
| pH Sensors   |            |
| Glass-Body pH Electrode BNC (requires Electrode Amplifier) | GPH-BNC    |
| pH Sensor  | PH-BTA     |
| Tris-Compatible Flat pH Sensor                             | FPH-BTA    |
| Polarimeter (Chemical)                                     | CHEM-POL   |
| Radiation Monitor  | VRM-BTD    |
| Temperature Probes   |            |
| Stainless Steel Temperature Probe                          | TMP-BTA    |
| Surface Temperature Sensor                                 | STS-BTA    |
| Thermocouple   | TCA-BTA    |
| Wide-Range Temperature Probe                               | WRT-BTA    |

### Voltage Probes

|                            |         |
|----------------------------|---------|
| Differential Voltage Probe | DVP-BTA |
| Voltage Probe              | VP-BTA  |

## Instrumentation

| Instrument                          | Order Code |
|-------------------------------------|------------|
| Go Direct Mini GC™                  | GDX-GC     |
| Go Direct Cyclic Voltammetry System | GDX-CVS    |

## Spectrometers

| Spectrometer                                  | Order Code |
|---|------------|
| Go Direct SpectroVis Plus                     | GDX-SVISPL |
| Vernier Emissions Spectrometer                | VSP-EM     |
| Vernier Flash Photolysis Spectrometer         | VSP-FP     |
| Vernier Fluorescence/UV-VIS Spectrophotometer | VSP-FUV    |
| Vernier Spectrometer (Ocean Optics™)          | V-SPEC     |
| Vernier UV-VIS Spectrophotometer              | VSP-UV     |

## Lab Equipment

| Equipment         | Order Code        |
|-------------------|-------------------|
| Electrode Support | ESUP              |
| OHAUS® Balances   | vernier.com/ohaus |
| Stir Station      | STIR              |

See all our products for college chemistry online at [vernier.com/chemistry](https://www.vernier.com/chemistry)



Logger Pro, LabQuest, SpectroVis, Vernier and caliper design, Go Direct, and Vernier Spectral Analysis are our registered trademarks. Vernier Software & Technology, vernier.com, Vernier Mini GC, Vernier Instrumental Analysis, and Graphical Analysis are our trademarks or trade dress. The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Vernier Software & Technology is under license. All other marks not owned by us that appear herein are the property of their respective owners, who may or may not be affiliated with, connected to, or sponsored by us.

Prices are subject to change without notice.





# Chemistry

[vernier.com/chemistry](https://vernier.com/chemistry)

## Why Vernier?

When you teach with Vernier, you're teaching with a complete chemistry solution. From titrations to spectroscopy, our sensors and instrumentation are backed by powerful analytical software, university-level experiments, and unparalleled support.

### Quality

Durable hardware for lab and field use

### Affordable

Designed for education and educational budgets

### Versatile

Supports a variety of devices and experiments



The use of these technologies helps to build students' proficiency using instrumentation while providing them with hands-on experience that will better prepare them for careers in the chemistry field.

*Seth Barrett, Ph.D.  
Muskingum University*

We're here to support you as an educator as you incorporate data-collection technology into your instruction. See how our products provide you with affordable laboratory solutions designed for student success.

Our Guarantee: Most of our products are protected by a 5-year limited warranty. And after five years? We'll make every attempt to repair your equipment.

## A Guide to Vernier Data Collection

### What You Need to Get Started with Go Direct Sensors

#### A Go Direct Sensor

These versatile sensors connect to your device via Bluetooth® wireless technology or USB.

#### B Device


Go Direct® sensors connect to a wide variety of commonly used devices, including Chromebooks, computers, tablets, smartphones, and LabQuest 2.

#### C Software

Graphical Analysis™ 4  
Vernier Spectral Analysis®  
Vernier Instrumental Analysis™

#### D Lab Book

Our popular, award-winning lab books provide hundreds of well-tested, customizable experiments. Our lab books come with a generous site license. Purchase once and share files across your department.



### What You Need to Get Started with LabQuest Sensors

#### A LabQuest Sensor

LabQuest® sensors share data with your device via a wired connection (BTA/BTD) to an interface from the LabQuest family.

#### B Interface

An interface sends information from the sensor to the data-collection and analysis software. The LabQuest family includes LabQuest 2, LabQuest Stream®, and LabQuest Mini.

#### C Device


LabQuest sensors connect to computers, Chromebooks, and compatible mobile devices through a LabQuest interface.

#### D Software

Graphical Analysis 4  
Logger Pro® 3

#### E Lab Book

Our popular, award-winning lab books provide hundreds of well-tested, customizable experiments. Our lab books come with a generous site license. Purchase once and share files across your department.



## Software

### GDx LQ Graphical Analysis 4 • Vernier Spectral Analysis • NEW Vernier Instrumental Analysis

- Collect, share, and analyze sensor data with our suite of free apps for computers, Chromebooks, and compatible mobile devices.
- Using our Graphical Analysis 4 app, students can collect and analyze data from most Vernier sensors.
- Vernier Spectral Analysis supports our family of spectrometers. Use it to generate full spectra, conduct Beer's law investigations, and investigate kinetics.
- Vernier Instrumental Analysis is used for more advanced instrumentation such as Go Direct Mini GC™ and Go Direct Cyclic Voltammetry System.

### LQ Logger Pro 3

Logger Pro 3 is our data-collection and analysis software for LabQuest sensors and spectrometers on Windows® and macOS® computers.

## Partnership with LabArchives

Vernier Software & Technology has partnered with LabArchives to bring high-quality chemistry content to instructors through the Lab Builder library. Because all content is structured and standardized, instructors can arrange, customize, and add content to their courses with ease.

[vernier.com/lab-archives](https://www.vernier.com/lab-archives)



# General Chemistry

## Go Direct Temperature

Use this rugged temperature probe for investigating endothermic and exothermic reactions, determining the physical properties of water, and investigating intermolecular forces.

Range: -40 to 125°C

GDX-TMP

[vernier.com/gdx-tmp](http://vernier.com/gdx-tmp)



## Go Direct pH

Go Direct pH is an important and versatile sensor for your laboratory. Conduct acid-base titrations, monitor pH changes during chemical reactions, and investigate buffers. The wireless connection makes it easier to do field-based studies such as testing the pH of surface water.

GDX-PH

[vernier.com/gdx-ph](http://vernier.com/gdx-ph)



## Go Direct Gas Pressure

Explore gas laws and the Clausius-Clapeyron equation with this sensor that measures the absolute pressure of a gas.

GDX-GP

[vernier.com/gdx-gp](http://vernier.com/gdx-gp)



## Go Direct SpectroVis® Plus

With a range of 380 to 950 nm, students can use this spectrophotometer to easily collect a full-wavelength spectrum, study absorbance vs. concentration, or monitor rates of reaction. Collect and analyze data using Vernier Spectral Analysis, LabQuest App, or Logger Pro 3.

GDX-SVISPL

[vernier.com/gdx-svispl](http://vernier.com/gdx-svispl)



## Go Direct Drop Counter

As an alternative to using a buret, the drop counter precisely records the number of drops of titrant added during a titration and then automatically converts it to volume.

GDX-DC

[vernier.com/gdx-dc](http://vernier.com/gdx-dc)



## Stir Station

This combination stir plate/ring stand can be used with AC power (included) or four C batteries (not included).

STIR

[vernier.com/stir](http://vernier.com/stir)




## Advanced Chemistry with Vernier

This book contains 35 ready-to-use student experiments that support general chemistry. Instructor notes with sample data are also included.

Topics

- Gas laws
- Titrations
- Spectroscopy
- Electrochemistry

[vernier.com/chem-a](http://vernier.com/chem-a)



**Download only**  
CHEM-A-E

**Printed book + download**  
CHEM-A


# Biochemistry

## NEW Go Direct Polarimeter


The concept of chirality can be difficult for students to visualize. Go Direct® Polarimeter provides a visual representation of this concept by measuring the optical rotation of optical isomers such as sugars, amino acids, and proteins.

GDX-POL

[vernier.com/gdx-pol](http://vernier.com/gdx-pol)



Reaction kinetics of sucrose



## Vernier Fluorescence/UV-VIS Spectrophotometer

The Fluorescence/UV-VIS Spectrophotometer measures the fluorescence and absorbance spectra of samples such as quinine sulfate, fluorescein, rhodamine, and DAPI.

VSP-FUV

[vernier.com/vsp-fuv](http://vernier.com/vsp-fuv)

### Wavelength Range

- 220 to 850 nm

### Light Sources

- Visible: LED-boosted tungsten
- UV: Deuterium
- Fluorescence: exchangeable LEDs for excitation at 375 nm, 450 nm, and 525 nm (additional wavelengths sold separately)



## Go Direct Tris-Compatible Flat pH

Go Direct Tris-Compatible Flat pH is a double-junction electrode for measuring pH in Tris buffers and solutions containing proteins or sulfides. The flat glass shape makes it easy to clean and useful for measuring the pH of semisolids such as soil slurries and certain foods.

GDX-FPH

[vernier.com/gdx-fph](http://vernier.com/gdx-fph)





## Vernier Spectral Analysis

Our free Vernier Spectral Analysis® app makes it easy to incorporate spectroscopy into your chemistry experiments. Using the app, students can collect a full spectrum and explore topics such as Beer's law, kinetics, and fluorescence.

The user-friendly software includes analysis features such as curve fitting and data interpolation.

[vernier.com/spectral-analysis](http://vernier.com/spectral-analysis)





# Organic Chemistry

## Go Direct Melt Station

Go Direct Melt Station accurately measures melting temperatures of a solid (up to 260°C), and the real-time graphing provides a unique perspective of the melting process.

GDx-MLT

[vernier.com/gdx-mlt](http://vernier.com/gdx-mlt)



## Go Direct Wide-Range Temperature

Go Direct Wide-Range Temperature is designed to be used as you would use a thermometer for experiments such as the recrystallization of benzoic acid, simple and fractional distillations, determination of boiling points, the synthesis and analysis of aspirin and other organic compounds, and more.

Range: -20 to 330°C

GDx-WRT

[vernier.com/gdx-wrt](http://vernier.com/gdx-wrt)



## NEW Go Direct Mini GC

With the easy-to-use Go Direct Mini GC™ and the free Vernier Instrumental Analysis app, students can separate, analyze, and identify substances contained in a volatile liquid or gaseous sample. This portable gas chromatograph detects polar and nonpolar compounds allowing for a wide range of experiments. Sample experiments include fractional distillation and Fischer esterification.


GDx-GC

[vernier.com/gdx-gc](http://vernier.com/gdx-gc)



## NEW Vernier Instrumental Analysis

With our free Vernier Instrumental Analysis™ app, students can collect and analyze data from our Go Direct Mini GC and Go Direct Cyclic Voltammetry System (page 6) using computers, Chromebooks, or compatible mobile devices.



[vernier.com/instrumental-analysis](http://vernier.com/instrumental-analysis)

## Vernier UV-VIS Spectrophotometer

The Vernier UV-VIS Spectrophotometer generates a full spectrum, Beer's law graph, and kinetics traces of ultraviolet and visible-absorbing samples such as aspirin, DNA, proteins, and NADH.

VSP-UV

[vernier.com/vsp-uv](http://vernier.com/vsp-uv)

### Wavelength Range

- 220 to 850 nm

### Light Sources

- Visible: LED-boosted tungsten
- UV: Deuterium



### Free Software

#### Vernier Spectral Analysis

See page 4.

## Organic Chemistry with Vernier


*Organic Chemistry with Vernier* contains 26 experiments that represent a broad range of topics and techniques taught in most college organic chemistry lab courses. The experiments in this book build upon prior knowledge, laboratory techniques, and skills students have learned in general chemistry courses.

### Topics

- Distillation
- Chromatography
- Synthesis
- Polarimetry

[vernier.com/chem-o](http://vernier.com/chem-o)

Updated instructions for Go Direct sensors will be available soon.



**Download only**  
CHEM-O-E

**Printed book + download**  
CHEM-O

# Analytical Chemistry

## NEW Go Direct Cyclic Voltammetry System

Give your students hands-on experience with electrochemically active reactions using this affordable potentiostat and disposable screen-printed electrodes.

Easily incorporate electrochemistry into your curriculum using our e-book, *Electrochemistry Experiments with the Go Direct Cyclic Voltammetry System*, available for free with your purchase.

GDX-CVS


[vernier.com/gdx-cvs](http://vernier.com/gdx-cvs)

### Free Software

NEW Vernier Instrumental Analysis™

See page 5.

*Determining acetaminophen concentration in children's liquid Tylenol®*



## NEW Go Direct Polarimeter

The concept of chirality can be difficult for students to visualize. Go Direct® Polarimeter provides a visual representation of this concept by measuring the optical rotation of optical isomers such as sugars, amino acids, and proteins.

GDX-POL

[vernier.com/gdx-pol](http://vernier.com/gdx-pol)



## Vernier UV-VIS Spectrophotometer

The Vernier UV-VIS Spectrophotometer generates a full spectrum, Beer's law graph, and kinetics traces of ultraviolet and visible-absorbing samples such as aspirin, DNA, proteins, and NADH.

VSP-UV


### Wavelength Range

- 220 to 850 nm

### Light Sources

- Visible: LED-booster tungsten
- UV: Deuterium

[vernier.com/vsp-uv](http://vernier.com/vsp-uv)



*Examining the absorbance spectrum of potassium dichromate using the Vernier UV-VIS Spectrophotometer and Logger Pro®*

### Recommended Accessory

#### Vernier Spectrophotometer Optical Fiber

Analyze emissions spectra of gas discharge tubes or flame tests with this optical fiber.

VSP-FIBER [vernier.com/vsp-fiber](http://vernier.com/vsp-fiber)

### Free Software

Vernier Spectral Analysis®

See page 4.



## Go Direct pH

Use this general-purpose pH sensor to monitor the pH of aqueous solutions.

GDX-PH

[vernier.com/gdx-ph](http://vernier.com/gdx-ph)



## Go Direct ORP

Measure the ability of a solution to act as an oxidizing or reducing agent.

GDX-ORP

[vernier.com/gdx-orp](http://vernier.com/gdx-orp)



## Go Direct Drop Counter

This sensor precisely records the number of drops of titrant added during a titration and then automatically converts it to volume.

GDX-DC

[vernier.com/gdx-dc](http://vernier.com/gdx-dc)



# Physical Chemistry

## Vernier Fluorescence/UV-VIS Spectrophotometer

The Fluorescence/UV-VIS Spectrophotometer measures the fluorescence and absorbance spectra of ultraviolet and visible samples such as quinine sulfate, fluorescein, rhodamine, and DAPI.

VSP-FUV

### Wavelength Range

- 220 to 850 nm

### Light Sources

- Visible: LED-boosted tungsten
- UV: Deuterium
- Fluorescence: exchangeable LEDs for excitation at 375 nm, 450 nm, and 525 nm (additional wavelengths sold separately)


[vernier.com/vsp-fuv](http://vernier.com/vsp-fuv)



### Free Software

#### Vernier Spectral Analysis

See page 4.



Absorbance and fluorescence spectra of quinine sulfate at varying concentrations

## Vernier Flash Photolysis Spectrometer

The Vernier Flash Photolysis Spectrometer is perfect for students to explore the fundamental principles of photochemical reactions. It measures the absorption and emission changes of a photoexcited sample with microsecond resolution.

VSP-FP

### Wavelength Range

- 450 to 750 nm

### Light Sources

- Xenon flashlamp (pump) white LED (probe)


[vernier.com/vsp-fp](http://vernier.com/vsp-fp)



### Free Software

Collect data with a free all-inclusive LabVIEW™ Virtual Instrument (VI)\*. LabVIEW purchase not required

\*Available for Windows® only



Fast photocatalysis of Congo Red

## NEW Go Direct Mini GC

Teach students chromatography with an affordable, portable gas chromatograph that detects polar and nonpolar compounds. With the easy-to-use Go Direct Mini GC™ and the free Vernier Instrumental Analysis™ app, students can separate, analyze, and identify substances contained in a volatile liquid or gaseous sample. Go Direct Mini GC uses Bluetooth® wireless technology or USB to connect to your device.

Included with Go Direct Mini GC is our *Chromatography Experiments with the Go Direct Mini GC* e-book. This lab manual includes student instructions and instructor notes.

GDX-GC

[vernier.com/gdx-gc](http://vernier.com/gdx-gc)



### Free Download


#### Chromatography Experiments with the Go Direct Mini GC e-book

Free with purchase of Go Direct Mini GC

### Free Software

#### NEW Vernier Instrumental Analysis

See page 5.



Separating a mixture of alkanes, esters, and cyclic hydrocarbons



# Additional Physics Products

## Mechanics

| Product  | Order Code  |
|--|-------------|
| Go Direct® Acceleration                            | GDX-ACC     |
| 3-Axis Accelerometer                               | 3D-BTA      |
| 25-g Accelerometer                                 | ACC-BTA     |
| Bumper and Launcher Kit                            | BLK         |
| Centripetal Force Apparatus                        | CFA         |
| Dual-Range Force Sensor                            | DFS-BTA     |
| Dynamics Cart and Track System                     | DTS         |
| Dynamics Cart and Track System with Motion Encoder | DTS-EC      |
| Eddy Current Brake                                 | DTS-ECB     |
| Encoder Fan Cart                                   | CART-FEC    |
| Fan Cart   | CART-F      |
| Force Plate  | FP-BTA      |
| Friction Pad DTS                                   | DTS-PAD     |
| Independence of Motion                             | IOM-VPL     |
| Go Direct Sensor Cart Accessory Kit                | GDX-CART-AK |
| Low-g Accelerometer                                | LGA-BTA     |
| Motion Detector                                    | MD-BTD      |
| Photogate  | VPG-BTD     |
| Go Direct Projectile Launcher                      | GDX-PL      |
| Vernier Projectile Launcher                        | VPL         |
| Projectile Stop                                    | PS-VPL      |
| Pulley Bracket                                     | B-SPA       |
| Go Direct Rotary Motion                            | GDX-RMS     |
| Rotary Motion Sensor                               | RMV-BTD     |
| Rotational Motion Accessory Kit                    | AK-RMV      |
| Time of Flight Pad                                 | TOF-VPL     |
| Ultra Pulley Attachment                            | SPA         |

## Waves and Sound

| Product            | Order Code |
|--------------------|------------|
| Microphone         | MCA-BTA    |
| Sound Level Sensor | SLS-BTA    |

## Thermodynamics

| Product                                | Order Code  |
|--|-------------|
| FLIR ONE® Pro Thermal Camera           | FLIRPRO-IOS |
| FLIR ONE Pro LT for iOS Thermal Camera | FLIRLT-IOS  |
| Gas Pressure Sensor                    | GPS-BTA     |
| Stainless Steel Temperature Probe      | TMP-BTA     |
| Surface Temperature Sensor             | STS-BTA     |

## Electricity and Magnetism

| Product   | Order Code |
|---|------------|
| Magnetic Field Sensor                                   | MG-BTA     |
| Power Amplifier   | PAMP       |
| Differential Voltage Probe                              | DVP-BTA    |
| Current Probe   | DCP-BTA    |
| Instrumentation Amplifier                               | INA-BTA    |
| Optional Breadboard Kit for the Vernier Circuit Board 2 | VCB2-OB BK |
| Extech® Digital DC Power Supply                         | EXPS       |

## Light and Optics

| Product   | Order Code |
|---|------------|
| Polarizer/Analyzer Set for Optics Expansion Kit | PAK-OEK    |
| Combination 1.2 m Track/Optics Bench            | TRACK      |
| Combination 2.2 m Track/Optics Bench            | TRACK-LONG |
| Green Diffraction Laser                         | GDL-DAK    |



Also check out Pivot Interactives for Physics at  
[vernier.com/pivot](https://www.vernier.com/pivot)

Start a free 30-day trial\* today at  
[pivotinteractives.com](https://pivotinteractives.com)

\* Not available in countries subject to GDPR

This is just a sample of our physics solutions. To see the full suite of Vernier physics products, please visit [vernier.com/physics](https://www.vernier.com/physics)



Logger Pro, LabQuest, Vernier and caliper design, Go Direct, Vernier Thermal Analysis, and Vernier Spectral Analysis are our registered trademarks. Vernier Software & Technology, vernier.com, Vernier Video Analysis, and Graphical Analysis are our trademarks or trade dress. macOS and iPadOS are trademarks of Apple Inc., registered in the US and other countries. App Store is a service mark of Apple Inc. The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Vernier Software & Technology is under license. All other marks not owned by us that appear herein are the property of their respective owners, who may or may not be affiliated with, connected to, or sponsored by us.

Prices are subject to change without notice.





# Physics

[vernier.com/physics](https://vernier.com/physics)



PHYSICS

## Why Vernier?

Vernier started when one educator, Dave Vernier, decided to build solutions to bring physics to life for his students. Today, our complete physics solution is still powered by the desire to inspire students and foster learning, and backed by powerful software and unparalleled support.

### Quality

Durable hardware lasts for years of use

### Affordable

Designed for education and educational budgets

### Versatile

Supports a variety of devices and experiments



I really find your hardware, and especially *Logger Pro*, extremely helpful in my teaching. Couldn't do it without your stuff.

*Barbara Hughey*  
*Massachusetts Institute of Technology*  
*Cambridge, MA*

We're here to support you as an educator as you incorporate data-collection technology into your instruction. See how our products provide you with affordable laboratory solutions designed for student success.

Our Guarantee: Most of our products are protected by a 5-year limited warranty. And after five years? We'll make every attempt to repair your equipment.

## A Guide to Vernier Data Collection

### What You Need to Get Started with Go Direct Sensors

#### A Go Direct Sensor

These versatile sensors connect to your device via Bluetooth® wireless technology or USB.

#### B Device


Go Direct® sensors connect to a wide variety of commonly used devices, including Chromebooks, computers, smartphones, tablets, and LabQuest 2.

#### C Software

Graphical Analysis™ 4  
Vernier Spectral Analysis®

#### D Lab Book

Our popular, award-winning lab books provide hundreds of well-tested, customizable experiments. Many of our lab books provide support for Go Direct sensors and the Graphical Analysis 4 app. Our lab books come with a generous site license. Purchase once and share files across your department.



### What You Need to Get Started with LabQuest Sensors

#### A LabQuest Sensor

LabQuest® sensors share data with your device via a wired connection (BTA/BTD) to an interface from the LabQuest family.

#### B Interface

An interface sends information from the sensor to the data-collection and analysis software. The LabQuest family includes LabQuest 2, LabQuest Stream®, and LabQuest Mini.

#### D Software


Graphical Analysis 4  
Logger Pro® 3

#### E Lab Book

Our popular, award-winning lab books provide hundreds of well-tested, customizable experiments. Our lab books come with a generous site license. Purchase once and share files across your department.

#### C Device

LabQuest sensors connect to computers, Chromebooks, and compatible mobile devices through a LabQuest interface.





## Software

GDX

LQ

### Graphical Analysis 4 • Vernier Spectral Analysis • NEW Vernier Video Analysis®


- Collect, share, and analyze sensor data with our suite of apps for computers, Chromebooks, and compatible mobile devices.
- Using our Graphical Analysis 4 app, students can collect and analyze data from a wide selection of Vernier sensors. Spectral Analysis supports our family of spectrometers.
- Students can use their smartphone or tablet in the laboratory or out in the field to record motion. They can then import the video into Video Analysis on any device to mark the object in motion, set the scale, and create graphs of the motion.



LQ

### Logger Pro 3

Logger Pro 3 is our data-collection and analysis software for LabQuest sensors and spectrometers on Windows® and macOS® computers.





## Why Vernier?

Our durable hardware and quality software are designed for hands-on student use. Give your students the opportunity to gain practical, relevant data-collection and analysis experience that they can use wherever they go next.

# Mechanics

## Dynamics Cart and Track System with Go Direct Sensor Cart

The Dynamics Cart and Track System with Go Direct Sensor Cart includes essential laboratory equipment for teaching dynamics and kinematics. With our Go Direct Sensor Cart, students can explore force, position, velocity, and acceleration directly on their device using Bluetooth® wireless technology. There are no wires to create drag, and no additional equipment is required! Each cart features built-in sensors that simplify experiment setup and make this system the best choice for studying dynamics and kinematics.

with 1.2 m Track DTS-GDX  
with 2.2 m Track DTS-GDX-LONG

[vernier.com/dts-gdx](https://www.vernier.com/dts-gdx)

Additional Cart and Track options are available at [vernier.com/dynamics](https://www.vernier.com/dynamics)



GDX

## Go Direct Photogate

GDX

This double-gate sensor includes two photogates built into the arms of the sensor. It accurately measures velocity and acceleration.

GDX-VPG

[vernier.com/gdx-vpg](https://www.vernier.com/gdx-vpg)



## Go Direct Force and Acceleration

GDX

Measure forces as small as  $\pm 0.1$  N and up to  $\pm 50$  N with this sensor that couples a 3-axis accelerometer with a stable and accurate force sensor. It also includes a 3-axis gyroscope for experiments involving rotation.

GDX-FOR

[vernier.com/gdx-for](https://www.vernier.com/gdx-for)



## Go Direct Centripetal Force Apparatus

GDX

When combined with Go Direct Force and Acceleration (not included), the Centripetal Force Apparatus makes an ideal tool to explore rotational dynamics.

GDX-CFA

[vernier.com/gdx-cfa](https://www.vernier.com/gdx-cfa)



## Moment of Inertia Accessory Kit

GDX LQ

With the Moment of Inertia Accessory Kit, students can explore inertia in a broader context. The kit expands the capabilities of the Vernier Centripetal Force Apparatus when investigating moments of inertia of different geometries.

CFA-MIK

[vernier.com/cfa-mik](https://www.vernier.com/cfa-mik)



## Go Direct Motion

GDX

Use ultrasound to measure the position, velocity, and acceleration of moving objects.

GDX-MD

[vernier.com/gdx-md](https://www.vernier.com/gdx-md)



## NEW Vernier Video Analysis App

Students can use their smartphones and tablets in the laboratory or out in the field to capture motion. Once inserted into the app, students set the scale and mark points within the video to track the object in motion. Vernier Video Analysis™ generates accurate and visually rich graphs and a data table reflecting the recorded motion.

Video Analysis is a browser-based app that works on Windows®, macOS®, Android™, Chrome OS™, iOS, and iPadOS™.



Free 30-day trial available

[vernier.com/video-analysis](https://www.vernier.com/video-analysis)

# Waves and Sound

## Go Direct Sound

GDX

This is really two sensors in one—measure sound level in decibels, or capture and evaluate sound waveforms.

GDX-SND

[vernier.com/gdx-snd](http://vernier.com/gdx-snd)



## Power Amplifier

Drive devices such as speakers, lamps, and small DC motors.

PAMP

[vernier.com/pamp](http://vernier.com/pamp)



## Power Amplifier Accessory Speaker

Study mechanical waves on strings and springs.

PAAS-PAMP

[vernier.com/paas-pamp](http://vernier.com/paas-pamp)



# Thermodynamics

## Go Direct Gas Pressure

GDX

This sensor measures the absolute pressure of a gas.

GDX-GP

[vernier.com/gdx-gp](http://vernier.com/gdx-gp)



## Go Direct Temperature

GDX

Go Direct® Temperature is a durable, stainless steel temperature sensor for use in liquids or air.

Range: -40 to 125°C

GDX-TMP

[vernier.com/gdx-tmp](http://vernier.com/gdx-tmp)



## Go Direct Surface Temperature

GDX

An exposed temperature sensor makes this an ideal choice for situations where low thermal mass and extremely rapid response are needed. Use in air and water only.

Range: -25 to 125°C

GDX-ST

[vernier.com/gdx-st](http://vernier.com/gdx-st)



## FLIR ONE® Gen 3 Thermal Camera

Reveal the hidden world of infrared vision. When used with our Vernier Thermal Analysis® Plus app, students can also collect temperature vs. time data for up to four points or regions, along with a thermal image video.

FLIRPRO-IOS

[vernier.com/flirpro-ios](http://vernier.com/flirpro-ios)

## Vernier Thermal Analysis® Plus App

This iOS and iPadOS™ app enables graphing temperature vs. time for up to four points or regions when using a FLIR ONE camera.

[vernier.com/thermal-analysis](http://vernier.com/thermal-analysis)



# Electricity and Magnetism

## Go Direct Voltage

GDX

This sensor combines a wide input voltage range and high precision, making it an excellent choice for investigations of both AC/DC circuits and electromagnetism.

Ranges:  $\pm 20$  V and  $\pm 1$  V

GDX-VOLT

[vernier.com/gdx-volt](http://vernier.com/gdx-volt)



## Go Direct Current

GDX

Measure electric currents in circuits with this versatile sensor.

Ranges:  $\pm 1$  A and  $\pm 0.1$  A

GDX-CUR

[vernier.com/gdx-cur](http://vernier.com/gdx-cur)



## Charge Sensor

LQ

Use the Charge Sensor\* as an electronic electrostatic voltmeter to obtain quantitative measurements when studying charging by induction, friction, or contact.

Ranges:  $\pm 20$  nC and  $\pm 100$  nC

CRG-BTA

[vernier.com/crg-bta](http://vernier.com/crg-bta)

\* Requires an interface such as LabQuest 2 or LabQuest Mini



## Go Direct 3-Axis Magnetic Field

GDX

Determine the magnitude and direction of a magnetic field at any point in space with this 3-axis sensor.

Ranges:  $\pm 5$  mT and  $\pm 130$  mT

GDX-3MG

[vernier.com/gdx-3mg](http://vernier.com/gdx-3mg)



## Electrostatics Kit

With the Electrostatics Kit, students can conduct a range of experiments in electrostatics when used with the Charge Sensor.

ESK-CRG

[vernier.com/esk-crg](http://vernier.com/esk-crg)



## High-Voltage Electrostatics Kit

Use this kit to investigate the distribution of charge on a sphere, transfer of charge on contact between two spheres, and charging by induction.

HVEK-CRG

[vernier.com/hvek-crg](http://vernier.com/hvek-crg)



## Extech® Digital Power Supply

This power supply provides constant current or constant voltage for physics activities that require DC power.

EXPS

[vernier.com/expo](http://vernier.com/expo)



## Vernier Circuit Board 2

Use this convenient platform to study basic series and parallel circuits as well as RLC circuits. Many components for experimentation are provided, and additional components can be added to expand the capability of this useful board.

VCB2

[vernier.com/vcb2](http://vernier.com/vcb2)



## Electrostatic High-Voltage Genecon

A great addition to the High Voltage Electrostatics Kit, the Electrostatic High-Voltage Genecon generates both positive and negative charges and reliably creates charge differences in high humidity.

HVEK-GEN

[vernier.com/hvek-gen](http://vernier.com/hvek-gen)





# Light and Optics

## Light Sensors

### Go Direct Light and Color

GDX

This sensor combines visible light, UV, and RGB sensors to measure source emission, transmittance, and reflection of light in the visible light to ultraviolet electromagnetic spectrum.

GDX-LC

[vernier.com/gdx-lc](http://vernier.com/gdx-lc)



### Light Sensor\*

LQ

Investigate polarizers, reflectivity, and solar energy with this sensor that approximates the human eye in spectral response. It's great for inverse square law experiments.

LS-BTA [vernier.com/ls-bta](http://vernier.com/ls-bta)



LQ

### Diffraction Apparatus†


Use the Diffraction Apparatus\* to map light intensity vs. position for various slit geometries.

DAK [vernier.com/dak](http://vernier.com/dak)

### Green Diffraction Laser (optional)

Add this laser to your Diffraction Apparatus to study the effect of wavelength on a diffraction pattern.

GDL-DAK [vernier.com/gdl-dak](http://vernier.com/gdl-dak)



## Optics Expansion Kit

Use the Optics Expansion Kit† with your dynamics track to conduct optics experiments, such as image formation with lenses and light intensity vs. distance. You can even use the kit to build a basic telescope.

Kit includes

- 3 lenses (100 mm converging lens, 200 mm converging lens, -150 mm diverging lens)
- Screen
- Combination luminous and point light source
- Light Sensor Holder
- Aperture screen
- Power supply

The Optics Expansion Kit is used in experiments in our *Physics with Vernier* and *Advanced Physics with Vernier—Beyond Mechanics* lab books.

OEK

[vernier.com/oek](http://vernier.com/oek)

See website for replacement parts.

## Accessories

### Color Mixer Kit‡


CM-OEK [vernier.com/cm-oek](http://vernier.com/cm-oek)

### Mirror Set

M-OEK [vernier.com/m-oek](http://vernier.com/m-oek)

### Polarizer/Analyzer Set

PAK-OEK [vernier.com/pak-oek](http://vernier.com/pak-oek)



\* Requires an interface such as LabQuest 2 or LabQuest Mini

† Requires a Combination 1.2 m Track/Optics Bench (TRACK)

# Modern Physics

## Radiation Monitors

Our radiation monitors detect alpha, beta, gamma, and X-ray radiation. They can be used to explore radiation statistics, measure the rate of nuclear decay, monitor radon progeny, and investigate the effects of shielding. The sensors include both LED and audible indicators.

### Go Direct Radiation Monitor

GDX-RAD

[vernier.com/gdx-rad](http://vernier.com/gdx-rad)



### Vernier Radiation Monitor\*

VRM-BTD

[vernier.com/vrm-btd](http://vernier.com/vrm-btd)





## Vernier Emissions Spectrometer

The Vernier Emissions Spectrometer gives precise measurements over a range of 350–900 nm. Use it with or without the optional optical fiber to examine spectra of light bulbs, spectrum tubes, or the sun.

VSP-EM

[vernier.com/vsp-em](http://vernier.com/vsp-em)



### Vernier Spectral Analysis App

Our free Vernier Spectral Analysis® app with our Emissions Spectrometer makes it easy to analyze spectra. Students can quickly locate peaks or compare spectra from different sources.

[vernier.com/spectral-analysis](http://vernier.com/spectral-analysis)

### Vernier Emissions Fiber

VSP-EM-FIBER

[vernier.com/vsp-em-fiber](http://vernier.com/vsp-em-fiber)



## Spectrum Tube Power Supplies

### Single

This power supply features an ultra-safe design for electrifying spectrum tubes.

ST-SPS

[vernier.com/st-sps](http://vernier.com/st-sps)



### Carousel

This power supply holds up to eight gas spectrum tubes.

ST-CAR

[vernier.com/st-car](http://vernier.com/st-car)



## Spectrum Tubes

Spectrum Tubes are permanently enclosed in protective plastic carriers, with no exposed high voltage.

|                |        |  |
|----------------|--------|--|
| Hydrogen       | ST-H   |  |
| Nitrogen       | ST-N   |  |
| Helium         | ST-HE  |  |
| Neon           | ST-NE  |  |
| Carbon Dioxide | ST-CO2 |  |
| Air            | ST-AIR |  |
| Argon          | ST-AR  |  |

Spectrum Tubes carry a warranty of 2 years or 100 hours, whichever comes first (hydrogen tube: two years or 40 hours, whichever comes first).

[vernier.com/spectrum-tubes](http://vernier.com/spectrum-tubes)

# Biology Products

## Go Direct Sensors

| Product                                       | Order Code |
|---|------------|
| Go Direct® Blood Pressure                     | GDX-BP     |
| Go Direct CO <sub>2</sub> Gas                 | GDX-CO2    |
| Go Direct Colorimeter                         | GDX-COL    |
| Go Direct Conductivity                        | GDX-CON    |
| Go Direct EKG                                 | GDX-EKG    |
| Go Direct Ethanol Vapor                       | GDX-ETOH   |
| Go Direct Energy                              | GDX-NRG    |
| Go Direct Force and Acceleration              | GDX-FOR    |
| Go Direct Gas Pressure                        | GDX-GP     |
| Go Direct Hand Dynamometer                    | GDX-HD     |
| Heart Rate Monitors                           |            |
| Go Wireless Exercise Heart Rate               | GW-EHR     |
| Go Wireless Heart Rate                        | GW-HR      |
| Ion-Selective Electrodes                      |            |
| Go Direct Ammonium Ion-Selective Electrode    | GDX-NH4    |
| Go Direct Nitrate Ion-Selective Electrode     | GDX-NO3    |
| Go Direct Light and Color                     | GDX-LC     |
| Go Direct O <sub>2</sub> Gas                  | GDX-O2     |
| Go Direct Optical Dissolved Oxygen            | GDX-ODO    |
| pH Sensors                                    |            |
| Go Direct pH                                  | GDX-PH     |
| Go Direct Tris-Compatible Flat pH             | GDX-FPH    |
| Go Direct Respiration Belt                    | GDX-RB     |
| Spectrophotometers                            |            |
| Go Direct SpectroVis® Plus                    | GDX-SVISPL |
| Vernier Fluorescence/UV-VIS Spectrophotometer | VSP-FUV    |
| Vernier UV-VIS Spectrophotometer              | VSP-UV     |
| Go Direct Spirometer                          | GDX-SPR    |
| Temperature Probes                            |            |
| Go Direct Surface Temperature                 | GDX-ST     |
| Go Direct Temperature                         | GDX-TMP    |
| Go Direct Wide-Range Temperature              | GDX-WRT    |

## LabQuest Sensors

| Product                  | Order Code |
|--------------------------|------------|
| PAR Sensor               | PAR-BTA    |
| Relative Humidity Sensor | RH-BTA     |
| Salinity Sensor          | SAL-BTA    |
| Soil Moisture Sensor     | SMS-BTA    |
| Turbidity Sensor         | TRB-BTA    |

## Accessories and Lab Equipment

| Product                                  | Order Code        |
|--|-------------------|
| BioChamber 250                           | BC-250            |
| BioChamber 2000                          | BC-2000           |
| BlueView Transilluminator                | BLUE-VIEW         |
| Disposable Bacteria Filters (pkg. of 10) | SPR-FIL10         |
| Disposable Mouth Pieces (pkg. of 30)     | SPR-MP30          |
| EKG Electrodes (pkg. of 100)             | ELEC              |
| Go Direct Charge Station                 | GDX-CRG           |
| Go Direct Sensor Clamp                   | GDX-CLAMP         |
| Nose Clip (pkg. of 10)                   | SPR-NOSE10        |
| OHAUS® Balances                          | vernier.com/ohaus |
| Primary Productivity Kit                 | PPK               |
| Reflex Hammer Accessory Kit              | RFX-ACC           |
| Stir Station                             | STIR              |
| Water Depth Sampler                      | WDS               |
| Water Quality Bottles                    | WQ-BOT            |

## Lab Books

| Product  | Order Code |
|--|------------|
| <i>Biology with Vernier</i>                                | BWV        |
| <i>Investigating Biology through Inquiry</i>               | BIO-I      |
| <i>Advanced Biology with Vernier</i>                       | BIO-A      |
| <i>Human Physiology Experiements</i>                       | HSB-HP     |
| <i>Investigating Environmental Science through Inquiry</i> | ESI        |
| <i>Renewable Energy with Vernier</i>                       | REV        |
| <i>Water Quality with Vernier</i>                          | WQV        |

See all our products for biology online at [vernier.com/biology](https://www.vernier.com/biology)



Logger Pro, LabQuest, SpectroVis, Vernier and caliper design, Go Direct, Go Wireless, and Vernier Spectral Analysis are our registered trademarks. Vernier Software & Technology, vernier.com, BlueView, Graphical Analysis are our trademarks or trade dress. The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Vernier Software & Technology is under license. All other marks not owned by us that appear herein are the property of their respective owners, who may or may not be affiliated with, connected to, or sponsored by us.

Prices are subject to change without notice.







# Biology

[vernier.com/biology](https://www.vernier.com/biology)

## Why Vernier?

Vernier biology solutions help students form a deep understanding of key scientific concepts. Whether you are introducing your students to enzymes or exploring primary productivity, our probeware and ready-to-go experiments are the right fit for your laboratory.

### **Quality**

Durable hardware for lab and field use

### **Affordable**

Designed for education and educational budgets

### **Versatile**

Supports a variety of devices and experiments



Your great products and superb support of them have been a major part of my labs and are very much appreciated.

*David Willey  
University of Pittsburgh,  
Pittsburgh, Pennsylvania*

We're here to support you as an educator as you incorporate data-collection technology into your instruction. See how our products provide you with affordable laboratory solutions designed for student success.

Our Guarantee: Most of our products are protected by a 5-year limited warranty. And after five years? We'll make every attempt to repair your equipment.

## A Guide to Vernier Data Collection

### What You Need to Get Started with Go Direct Sensors

#### A Go Direct Sensor

These versatile sensors connect to your device via Bluetooth® wireless technology or USB.

#### B Device


Go Direct® sensors connect to a wide variety of commonly used devices, including Chromebooks, computers, tablets, smartphones, and LabQuest 2.

#### C Software

Graphical Analysis™ 4  
Vernier Spectral Analysis®

#### D Lab Book

Our popular, award-winning lab books provide hundreds of well-tested, customizable experiments. Our lab books come with a generous site license. Purchase once and share files across your department.



### What You Need to Get Started with LabQuest 2 as a Standalone Device

#### A Sensor

##### <sup>1</sup> GO DIRECT SENSOR

These versatile sensors connect to LabQuest® 2 via Bluetooth wireless technology or USB.

##### <sup>2</sup> LABQUEST SENSOR

LabQuest sensors connect directly to LabQuest 2 sensor ports (BTA/BTD).

#### C Software


LabQuest App

#### D Lab Book

Our popular, award-winning lab books provide hundreds of well-tested, customizable experiments. Our lab books come with a generous site license. Purchase once and share files across your department.

#### B LabQuest 2

LabQuest 2 serves as a standalone data-collection platform that works with all Vernier sensors.



## Software

### Graphical Analysis 4

Using our Graphical Analysis 4 app, students can collect and analyze data on computers, Chromebooks, and compatible mobile devices using a wide variety of Vernier sensors.

### Vernier Spectral Analysis

Spectral Analysis supports our family of spectrometers on computers, Chromebooks, and compatible mobile devices. Use it to generate full spectra, create standard curves, and conduct kinetics experiments.

### LabQuest App

LabQuest 2 has built-in software that gives your students real-time graphing capabilities in a handheld device. It's powerful, yet beautifully simple.

## Partnership with LabArchives

Vernier Software & Technology has partnered with LabArchives to bring high-quality biology content to instructors through the Lab Builder library. Because all content is structured and standardized, instructors can arrange, customize, and add content to their courses with ease.

[vernier.com/lab-archives](https://vernier.com/lab-archives)

## Why Vernier?

Our durable hardware and quality software are designed for hands-on student use. Give your students the opportunity to gain practical, relevant data-collection and analysis experience that they can use wherever they go next.

# General Biology

## Go Direct CO<sub>2</sub> Gas

This sensor measures gaseous carbon dioxide concentration levels, air temperature, and relative humidity. With built-in temperature compensation and humidity protection, this sensor is ideal for measuring fermentation, respiration, and photosynthesis.

GDX-CO2

[vernier.com/gdx-co2](http://vernier.com/gdx-co2)




## Go Direct SpectroVis<sup>®</sup> Plus

Use this spectrophotometer to collect a full-wavelength spectrum (absorbance, percent transmission, fluorescence, or intensity), study absorbance vs. concentration (create standard curves), or monitor enzyme activity (enzyme kinetics).

GDX-SVISPL

[vernier.com/gdx-svispl](http://vernier.com/gdx-svispl)



**Vernier Spectral Analysis**  
FREE DOWNLOAD

## Go Direct Tris-Compatible Flat pH

Use this sensor to measure the pH of solutions. It features a sealed, gel-filled, double-junction electrode, making it compatible with Tris buffers and solutions containing proteins or sulfides.

GDX-FPH

[vernier.com/gdx-fph](http://vernier.com/gdx-fph)



## Go Direct Optical Dissolved Oxygen

Use this sensor to measure dissolved oxygen, water temperature, and atmospheric pressure. It's ideal for experiments in biology, ecology, and environmental science.

GDX-ODO

[vernier.com/gdx-odo](http://vernier.com/gdx-odo)



## Celestron Digital Microscope Imagers

Celestron<sup>®</sup> Digital Microscope Imagers turn your traditional compound or stereo microscope into a high-resolution digital imager using a personal computer or Chromebook<sup>™</sup>.

CS-5MP

CS-DMI

[vernier.com/cs-dmi](http://vernier.com/cs-dmi)



*Microscope not included*

## Investigating Biology through Inquiry

This book includes 22 investigations for many fundamental concepts in biology. Each investigation includes a preliminary activity, instructor information, sample researchable questions, and sample data.

Topics

- Cell and molecular biology
- Organismal biology
- Ecology
- Evolution

[vernier.com/bio-i](http://vernier.com/bio-i)



**Download only**  
BIO-I-E

**Printed book + download**  
BIO-I

## Biology Go Direct Starter Package

Learn more at

[vernier.com/gdp-bio-st](http://vernier.com/gdp-bio-st)

This package includes 4 sensors, which all work with our free Graphical Analysis 4 app or LabQuest 2.

- Go Direct Temperature
- Go Wireless Heart Rate
- Go Direct Gas Pressure
- Go Direct CO<sub>2</sub> Gas

GDP-BIO-ST



# Human Physiology

## Go Direct EKG

Use Go Direct® EKG to record electrical activity of the heart or skeletal muscles.

GDX-EKG [vernier.com/gdx-ekg](https://www.vernier.com/gdx-ekg)



## Go Direct Hand Dynamometer

Measure grip and pinch strength and perform muscle fatigue studies.

GDX-HD [vernier.com/gdx-hd](https://www.vernier.com/gdx-hd)



## Go Direct Respiration Belt

Use this sensor to measure human respiration rate and study breathing patterns.

GDX-RB [vernier.com/gdx-rb](https://www.vernier.com/gdx-rb)



## Go Direct Surface Temperature

This sensor has an exposed thermistor that results in an extremely rapid response time. This design allows it to be used on the skin or in air or water.

GDX-ST [vernier.com/gdx-st](https://www.vernier.com/gdx-st)



## Go Direct O<sub>2</sub> Gas

Use this sensor to measure gaseous oxygen concentration levels and air temperature.

GDX-O2 [vernier.com/gdx-o2](https://www.vernier.com/gdx-o2)



## NEW Go Direct Blood Pressure

This affordable, non-invasive sensor is designed to easily measure human blood pressure.

GDX-BP [vernier.com/gdx-bp](https://www.vernier.com/gdx-bp)



## NEW Go Direct Spirometer

This multi-channel sensor can be used to measure tidal volume, vital capacity, flow rate, air pressure, and respiration rate.

### Included accessories & parts

- Go Direct Spirometer
- Disposable mouthpieces (3)
- Disposable bacterial filter (3)
- Nose clips (3)


GDX-SPR [vernier.com/gdx-spr](https://www.vernier.com/gdx-spr)



## Human Physiology Experiments

This book contains 14 experiments that encourage students to investigate the physiology of the cardiac, muscular, respiratory, vascular, and nervous systems using Go Direct sensors.

[vernier.com/hsb-hp](https://www.vernier.com/hsb-hp)



**Download only**  
HSB-HP-E

**Printed book + download**  
HSB-HP

## Human Physiology Go Direct Standard Package

This package includes 11 products, which all work with our free Graphical Analysis™ 4 app or LabQuest® 2.

- Go Direct EKG
- Go Direct Force and Acceleration
- Go Direct Surface Temperature
- Go Direct Hand Dynamometer
- Go Direct Respiration Belt
- Go Direct O<sub>2</sub> Gas
- Go Direct Blood Pressure
- Go Direct Spirometer
- Go Wireless Heart Rate
- Reflex Hammer Accessory Kit
- BioChamber 250

GDP-HP-DX

**Learn more at**  
[vernier.com/gdp-hp-dx](https://www.vernier.com/gdp-hp-dx)

**Starter package also available**





# Biotechnology


## Spectrometers

### Go Direct SpectroVis® Plus

Use this spectrophotometer to collect a full-wavelength spectrum (absorbance, percent transmission, fluorescence, or intensity), study absorbance vs. concentration (create standard curves), or monitor enzymatic activity (enzyme kinetics).

GDX-SVISPL

[vernier.com/gdx-svispl](http://vernier.com/gdx-svispl)



### Vernier UV-VIS Spectrophotometer

This ultraviolet and visible light spectrophotometer is used to measure the absorbance spectra of various chemical and biochemical compounds such as DNA, proteins, and NADH.

VSP-UV

[vernier.com/vsp-uv](http://vernier.com/vsp-uv)



### Vernier Fluorescence/UV-VIS Spectrophotometer

This spectrophotometer measures the fluorescence and absorbance spectra of ultraviolet and visible samples such as quinine sulfate, fluorescein, rhodamine, and DAPI.

VSP-FUV

[vernier.com/vsp-fuv](http://vernier.com/vsp-fuv)



### Vernier Spectral Analysis®

Our free Spectral Analysis app makes it easy to incorporate spectroscopy into your general biology and biotechnology experiments. Using the app, students can collect a full spectrum and explore topics such as plant pigments, enzyme kinetics, and Beer's law (standard curves).

FREE DOWNLOAD [vernier.com/spectral-analysis](http://vernier.com/spectral-analysis)

## Go Direct Tris-Compatible Flat pH

This pH sensor features a sealed, gel-filled, double-junction electrode, making it compatible with Tris buffers and solutions containing proteins or sulfides.

GDX-FPH

[vernier.com/gdx-fph](http://vernier.com/gdx-fph)



## BlueView Transilluminator

This transilluminator uses super bright blue LEDs to illuminate electrophoresis gels stained with fluorescent dyes (e.g., SYBR® Safe). This combination is a safer alternative to ethidium bromide and a UV transilluminator.

BLUE-VIEW [vernier.com/blue-view](http://vernier.com/blue-view)



## Stir Station

This combination stir plate/ring stand can be used with AC power (included) or four C batteries (not included).

STIR [vernier.com/stir](http://vernier.com/stir)



## OHAUS Balances

Collect mass data from OHAUS Scout® balances using Logger Pro® 3 software or a LabQuest 2.

[vernier.com/ohaus](http://vernier.com/ohaus)



## Vernier and Bio-Rad®



Bio-Rad combines high-quality supplies, equipment, and curricula with outstanding customer service and technical support—things we believe are important to teachers. Vernier and Bio-Rad enhance classroom experiences with joint experiments and curricula for biotechnology.

Download free sample experiments at [vernier.com/bio-rad-kits](http://vernier.com/bio-rad-kits)

# Environmental Science

## Go Direct Optical Dissolved Oxygen

Use this sensor to measure dissolved oxygen, water temperature, and atmospheric pressure. It is ideal for experiments in environmental science.

GDX-ODO

[vernier.com/gdx-odo](http://vernier.com/gdx-odo)



## Go Direct Conductivity

Use this sensor to measure total dissolved solids (TDS) in aquatic samples or the salinity of soil samples.

GDX-CON

[vernier.com/gdx-con](http://vernier.com/gdx-con)



## Go Direct Temperature

This rugged probe measures the temperature of a variety of substances including air, soil, and water.

Range: -40 to 125°C

GDX-TMP

[vernier.com/gdx-tmp](http://vernier.com/gdx-tmp)



## Go Direct Tris-Compatible Flat pH

The flat glass shape of this pH sensor is more durable and easier to clean than the traditional pH bulb shape, making it the best choice for environmental science.

GDX-FPH

[vernier.com/gdx-fph](http://vernier.com/gdx-fph)



## Go Direct Nitrate Ion-Selective Electrode

Use this sensor to measure nitrate concentration in water samples from water sources throughout your watershed.

GDX-NO3

[vernier.com/gdx-no3](http://vernier.com/gdx-no3)



## NEW Go Direct Weather

Easily monitor a wide variety of environmental factors with just one sensor. Go Direct® Weather is an affordable, wireless, handheld sensor used to measure ambient temperature, humidity, wind speed, wind chill, dew point, barometric pressure, and more.

Available Spring 2020

[vernier.com/gdx-wthr](http://vernier.com/gdx-wthr)



## LabQuest 2

**LabQuest 2 is a powerful, connected, and remarkably versatile data-collection solution.**

Why? LabQuest® 2 can serve as a standalone data-collection platform, and it works with all of our sensors. This plus the built-in GPS makes it the preferred choice for instructors and students in the field.

LABQ2

[vernier.com/labq2](http://vernier.com/labq2)

### LabQuest App

LabQuest 2 has built-in software that gives your students real-time graphing capabilities in a handheld device. It's powerful, yet beautifully simple.



# Environmental Science

## Davis Vantage Vue Weather Station

The wireless Vantage Vue weather station provides accurate, reliable weather monitoring in a self-contained, easy-to-install system. The sensor suite measures

- Temperature
- Humidity
- Barometric pressure
- Wind speed and direction
- Dew point
- Rainfall

Choose to view weather data streamed live on the internet via Wi-Fi, on a dedicated console in your classroom, or both!



| Three bundles are available                                | Stream Live Data on the Internet via Wi-Fi | View Data on Console | Order Code |
|--|--|----------------------|------------|
| Davis® Vantage Vue Wireless Weather Station (with console) |  | ●                    | DWVUE      |
| Davis Vantage Vue + WeatherLink™ (without console)         | ●  |                      | DWVUE-LWOC |
| Davis Vantage Vue + WeatherLink (with console)             | ●  | ●                    | DWVUE-LWC  |

[vernier.com/weather-stations](http://vernier.com/weather-stations)



## NEW Go Direct Sensor Clamp

Prevent accidental drops during field investigations with the Go Direct Sensor Clamp.

GDX-CLAMP


[vernier.com/gdx-clamp](http://vernier.com/gdx-clamp)



## Renewable Energy with Vernier

The *Renewable Energy with Vernier* lab book features 26 experiments in wind and solar energy. The book contains a combination of explorations, classic experiments, inquiry investigations, engineering projects, and more.

[vernier.com/rev](http://vernier.com/rev)



**Download only**  
REV-E  
**Printed book + download**  
REV

## Investigating Environmental Science through Inquiry\*

This book contains 34 inquiry-based environmental science investigations. Topics include Earth systems and resources, the living world, global change and population, energy resources and consumption, and pollution.

[vernier.com/esi](http://vernier.com/esi)



**Download only**  
ESI-E  
**Printed book + download**  
ESI

## Water Quality with Vernier\*

With the 18 tests in *Water Quality with Vernier*, students investigate the water quality of a body of water by testing pH, total dissolved solids, dissolved oxygen, BOD, and more.

[vernier.com/wqv](http://vernier.com/wqv)



**Download only**  
WQV-E  
**Printed book + download**  
WQV

\* Instructions for Graphical Analysis 4 app are not yet available.

# Engineering Products

## Wind Turbine Design

| Product                           | Order Code |
|-----------------------------------|------------|
| Advanced Wind Experiment Kit      | KW-AWX     |
| Balsa Blade Sheets (10 Sheets)    | KW-BBS10   |
| Basic Turbine Building Parts      | KW-BTPART  |
| Drivetrain Set                    | KW-DS      |
| Gear Set                          | KW-GEAR    |
| Go Direct® Energy                 | GDX-NRG    |
| Hub (3 Pack)                      | KW-WTH3    |
| Nacelle                           | KW-NAC     |
| Tower and Base Set                | KW-TBS     |
| Vernier Variable Load             | VES-VL     |
| Wind Turbine Generator with Wires | KW-GEN     |

## Engineering with Arduino

| Product                          | Order Code |
|----------------------------------|------------|
| Anemometer                       | ANM-BTA    |
| Digital Control Unit             | DCU-BTD    |
| Dual-Range Force Sensor          | DFS-BTA    |
| Low-g Accelerometer              | LGA-BTA    |
| Motion Detector                  | MD-BTD     |
| pH Sensor                        | PH-BTA     |
| Photogate                        | VPG-BTD    |
| SparkFun® RedBoard with Cable    | ARD-RED    |
| Surface Temperature Sensor       | STS-BTA    |
| Vernier Arduino Interface Shield | BT-ARD     |

## Go Direct Sensors

| Product                          | Order Code |
|----------------------------------|------------|
| Go Direct Acceleration           | GDX-ACC    |
| Go Direct Force and Acceleration | GDX-FOR    |
| Go Direct Light and Color        | GDX-LC     |
| Go Direct Motion                 | GDX-MD     |
| Go Direct Rotary Motion          | GDX-RMS    |

Learn more about over 50 Go Direct sensors at [vernier.com/go-direct](https://www.vernier.com/go-direct)

## Biomedical Engineering

| Product                       | Order Code |
|-------------------------------|------------|
| Go Direct Acceleration        | GDX-ACC    |
| Go Direct Blood Pressure      | GDX-BP     |
| Go Direct CO <sub>2</sub> Gas | GDX-CO2    |
| Go Direct EKG                 | GDX-EKG    |
| Go Direct Hand Dynamometer    | GDX-HD     |
| Go Direct O <sub>2</sub> Gas  | GDX-O2     |
| Go Direct Respiration Belt    | GDX-RB     |
| Go Direct Spirometer          | GDX-SPR    |
| Go Direct Surface Temperature | GDX-ST     |
| Go Direct Temperature         | GDX-TMP    |

## NI LabVIEW and Vernier

| Product                   | Order Code |
|---------------------------|------------|
| Analog Protoboard Adapter | BTA-ELV    |
| myDAQ Adapter             | BT-MDAQ    |
| SensorDAQ®                | SDAQ       |

## Outreach

| Product                                     | Order Code |
|---|------------|
| Go Direct Structures & Materials Tester     | GDX-VSMT   |
| KidWind MINI Wind Turbine with Blade Design | KW-MWTBD   |

## LabQuest Sensors

| Product                           | Order Code |
|-----------------------------------|------------|
| Barometer                         | BAR-BTA    |
| Gas Pressure Sensor               | GPS-BTA    |
| Light Sensor                      | LS-BTA     |
| Magnetic Field Sensor             | MG-BTA     |
| Microphone                        | MCA-BTA    |
| Soil Moisture Sensor              | SMS-BTA    |
| Stainless Steel Temperature Probe | TMP-BTA    |

Learn more about over 80 LabQuest sensors at [vernier.com/labquest](https://www.vernier.com/labquest)

See all of our engineering products online at [vernier.com/engineering](https://www.vernier.com/engineering)



Logger Pro, LabQuest, SensorDAQ, Vernier and caliper design, and Go Direct are our registered trademarks. Vernier Software & Technology, vernier.com, and Graphical Analysis are our trademarks or trade dress. The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Vernier Software & Technology is under license. National Instruments, NI, and LabVIEW are trademarks or trade names of National Instruments Corporation. All other marks not owned by us that appear herein are the property of their respective owners, who may or may not be affiliated with, connected to, or sponsored by us.

Prices are subject to change without notice.







# Engineering

[vernier.com/engineering](https://vernier.com/engineering)

## Why Vernier?

Vernier engineering solutions harness the power of analytical software and the precision of high-quality sensors to help students sharpen their design skills and prepare to enter the workforce. As with all of our solutions, our engineering technology is backed by unparalleled support.

### *Quality*

Durable hardware for lab and field use

### *Affordable*

Designed for education and educational budgets

### *Versatile*

Supports a variety of devices and experiments



Our projects are about more than just supporting the need for engineering education in local classrooms. Vernier products help deepen our students' learning through experiential, hands-on community engagement.

*Maija A. Benitz, Ph.D.*  
Assistant Professor of Engineering  
Roger Williams University

We're here to support you as an educator as you incorporate data-collection technology into your instruction. See how our products provide you with affordable laboratory solutions designed for student success.


Our Guarantee: Most of our products are protected by a 5-year limited warranty. And after five years? We'll make every attempt to repair your equipment.

## A Guide to Vernier Data Collection

### What you need to get started with Go Direct sensors

Go Direct® sensors connect directly (no interface required) to your computer, Chromebook™, or compatible mobile device via USB or Bluetooth® wireless technology. Collect and analyze the data with our free Graphical Analysis 4 app, Microsoft® Excel®, NI LabVIEW™, Python®, or JavaScript™.


- A Go Direct sensor**
- B Computer, Chromebook, tablet, smartphone**
- C Software (see below)**



### What you need to get started with LabQuest sensors

LabQuest® sensors have a cable with a plug that makes it easy to connect and disconnect to an interface without any additional wiring. Use LabQuest sensors with a Vernier interface, Arduino® NI ELVIS, NI myDAQ, or your own DAQ hardware. If using a non-Vernier interface, these sensors require a +5.0 volt supply voltage and output a 0 to 5 volt signal. Most sensors have a simple, linear calibration.

- A LabQuest sensor**
- B Interface (LabQuest, DAQ, or Arduino)**
- C Computer, Chromebook, tablet, smartphone**
- D Software (see below)**



## Software

Use our Graphical Analysis™ 4 app or Logger Pro® 3 software to easily collect and analyze data. We also provide support for popular engineering software such as Excel, NI LabVIEW, and Python.

GDx

### Software supporting Go Direct sensors

**Graphical Analysis 4**

**National Instruments LabVIEW**

**Python**

**JavaScript**

**Microsoft Excel**

LQ

### Software supporting LabQuest sensors

**Graphical Analysis 4**

**Logger Pro 3**

**National Instruments LabVIEW**

**Arduino IDE**

## Why Vernier?

Our durable hardware and quality software are designed for hands-on student use. Give your students the opportunity to gain practical, relevant data-collection and analysis experience that they can use wherever they go next.

# Introduction to Engineering

## Go Direct Energy

Go Direct Energy measures voltage and current and displays power and energy output of scale model wind turbines and solar panels, so students can quantitatively evaluate the effects of their design changes. It connects via Bluetooth® wireless technology or USB to your device.

GDX-NRG

[vernier.com/gdx-nrg](https://www.vernier.com/gdx-nrg)



## Vernier Variable Load

Use the Vernier Variable Load in conjunction with Go Direct Energy to provide a range of resistive loads for projects such as engineering wind turbines or investigating solar panels. Students can adjust the potentiometer to provide resistances between 6 and 255  $\Omega$  to determine the optimal load on a system.

VES-VL

[vernier.com/ves-vl](https://www.vernier.com/ves-vl)



## Advanced Wind Experiment Kit

Use this kit as a fast and easy way to introduce the engineering aspects of wind turbine technology. Investigate different blade designs, gear ratios, and generators.

KW-AWX

[vernier.com/kw-awx](https://www.vernier.com/kw-awx)




See all our products for engineering at [vernier.com/engineering](https://www.vernier.com/engineering)

# Wind Turbine Design

## Tower and Base Set

Do you need a tower for your turbine nacelle? This is the same tower that comes in the Basic Wind Experiment Kit and the Advanced Wind Experiment Kit. The tower has a diameter that fits inside 1-inch PVC fittings.

KW-TBS [vernier.com/kw-tbs](https://www.vernier.com/kw-tbs)



## Basic Turbine Building Parts

The Basic Turbine Building Parts kit includes three hubs, a wind turbine generator, and 25 dowels, all in one package.

KW-BTPART  
[vernier.com/kw-btpart](https://www.vernier.com/kw-btpart)



## Wind Turbine Generator with Wires

This is the primary generator for wind turbine experiments because it runs smoothly and provides high power output at a relatively low RPM.

KW-GEN  
[vernier.com/kw-gen](https://www.vernier.com/kw-gen)



## Hub (3 Pack)

With these 12-hole crimping hubs, made from recycled plastic, students can turn a DC generator into a wind turbine.

KW-WTH3  
[vernier.com/kw-wth3](https://www.vernier.com/kw-wth3)



## Nacelle

Build a complete turbine by making your own tower and base with PVC pipe (from a hardware store) or use the Tower and Base Set. You will also need a generator and a way to affix the turbine blades.

KW-NAC  
[vernier.com/kw-nac](https://www.vernier.com/kw-nac)



## simpleGEN

Students can use the easy-to-build AC generator of the simpleGEN to explore the basics of electrical generator design.

KW-SGEN  
[vernier.com/kw-sgen](https://www.vernier.com/kw-sgen)



## Gear Set

The small 8-tooth gear fits on 2 mm driveshafts that are found on many DC generators. The gears have a keying feature and can be changed quickly and easily using the included hex locks. The hex locks secure to our hex driveshaft, which is included in the Drivetrain Set (KW-DS).

Gear sizes: 64 teeth, 32 teeth, 16 teeth, 8 teeth

KW-GEAR  
[vernier.com/kw-gear](https://www.vernier.com/kw-gear)



## Balsa Blade Sheets

Balsa wood is very light weight and stiff, making it perfect for wind turbine blade design.

KW-BBS10  
[vernier.com/kw-bbs10](https://www.vernier.com/kw-bbs10)



See all our products for engineering at [vernier.com/engineering](https://www.vernier.com/engineering)



# Measurement and Instrumentation

## Biomedical Engineering with Go Direct Sensors

GDX

With wireless options and multiple on-board sensors, Go Direct sensors are perfect for analyzing and studying physiological functions.

### Go Direct EKG

Go Direct® EKG has five channels: EKG, heart rate, EMG, EMG rectified, and voltage.

GDX-EKG

[vernier.com/gdx-ekg](http://vernier.com/gdx-ekg)



### Go Direct O<sub>2</sub> Gas

This sensor measures gaseous oxygen concentration levels and air temperature.

GDX-O2

[vernier.com/gdx-o2](http://vernier.com/gdx-o2)



### Go Direct Blood Pressure

Go Direct Blood Pressure has seven channels: cuff pressure, mean arterial pressure, systolic pressure, diastolic pressure, pulse rate, oscillations, and envelope.

GDX-BP

[vernier.com/gdx-bp](http://vernier.com/gdx-bp)



### Go Direct Temperature

This rugged, general purpose sensor has a temperature range of -40 to 125°C.

GDX-TMP

[vernier.com/gdx-tmp](http://vernier.com/gdx-tmp)



### Go Direct Spirometer

Go Direct Spirometer has six channels: flow rate, volume, adjusted volume, cycle volume, respiration rate, and differential pressure.

GDX-SPR

[vernier.com/gdx-spr](http://vernier.com/gdx-spr)



### Go Direct Surface Temperature

With a range of -25 to 125°C, this sensor is designed for use in situations in which low thermal mass or flexibility is required, such as on human skin.

GDX-ST

[vernier.com/gdx-st](http://vernier.com/gdx-st)



### Go Direct Hand Dynamometer

Go Direct Hand Dynamometer has seven channels: force, x-axis acceleration, y-axis acceleration, z-axis acceleration, x-axis gyro, y-axis gyro, and z-axis gyro.

GDX-HD

[vernier.com/gdx-hd](http://vernier.com/gdx-hd)



### Go Direct Respiration Belt

Go Direct Respiration Belt has four channels: force, respiration rate, steps, and step rate.

GDX-RB

[vernier.com/gdx-rb](http://vernier.com/gdx-rb)



### Go Direct CO<sub>2</sub> Gas

Go Direct CO<sub>2</sub> Gas has three channels: CO<sub>2</sub> gas, temperature, and relative humidity.

GDX-CO2

[vernier.com/gdx-co2](http://vernier.com/gdx-co2)



### Go Direct Acceleration

This 3-axis acceleration sensor has two acceleration ranges ( $\pm 157$  and  $\pm 1960$  m/s<sup>2</sup>) plus an altimeter and a 3-axis gyroscope.

GDX-ACC

[vernier.com/gdx-acc](http://vernier.com/gdx-acc)



See all our products for engineering at [vernier.com/engineering](http://vernier.com/engineering)

# Arduino with LabQuest Sensors

LQ

Taking measurements with over 80 compatible LabQuest® sensors is easy using our sample sketches, Arduino® library, and online guide.

## SparkFun RedBoard with Cable

This Arduino-compatible board makes it easy to take sensor measurements when used with the Vernier Arduino Interface Shield.

ARD-RED [vernier.com/ard-red](http://vernier.com/ard-red)



## Vernier Arduino Interface Shield

Conveniently connect the SparkFun® RedBoard or Arduino Uno to Vernier LabQuest sensors with the Vernier Arduino Interface Shield.

BT-ARD [vernier.com/bt-ard](http://vernier.com/bt-ard)



### Motion Detector

The Motion Detector uses ultrasound to measure position of objects.

Range: 0.15 to 6 m

Resolution: 1 mm

MD-BTD [vernier.com/md-btd](http://vernier.com/md-btd)



### Surface Temperature Sensor

Measure temperature where low thermal mass or flexibility is required.

Range: -25 to 125°C

STS-BTA [vernier.com/sts-bta](http://vernier.com/sts-bta)



### Digital Control Unit

Use the digital output lines of an interface to control DC electrical devices.

DCU-BTD [vernier.com/dcu-btd](http://vernier.com/dcu-btd)



### pH Sensor

This is a general-purpose pH sensor.

Range: pH 0 to 14

Accuracy: ±0.2 pH units

PH-BTA [vernier.com/ph-bta](http://vernier.com/ph-bta)



### Dual-Range Force Sensor

Measure pushing and pulling forces.

±10 N range has a resolution of 0.01 N

±50 N range has a resolution of 0.05 N

DFS-BTA [vernier.com/dfs-bta](http://vernier.com/dfs-bta)



### Anemometer

This is an impeller-type anemometer for measuring wind speed.

Range: 0.5 to 30 m/s (1 to 67 mph)

ANM-BTA [vernier.com/anm-bta](http://vernier.com/anm-bta)



### Photogate

Measure timing events between, or outside, the arms of the gate.

VPG-BTD [vernier.com/vpg-btd](http://vernier.com/vpg-btd)



### Low-g Accelerometer

Measure one-dimensional acceleration.

Range: ±50 m/s² (±5 g)

Accuracy: ±0.5 m/s² (±0.05 g)

LGA-BTA [vernier.com/lga-bta](http://vernier.com/lga-bta)



Read the online guide and see all our products for Arduino at [vernier.com/arduino](http://vernier.com/arduino)

## Outreach

Use proven outreach tools to enhance your STEM community engagement projects. Foster an interest in engineering through coding, robotics, renewable energy exploration, and structural design and material science.

## Wind Energy

Incorporate hands-on activities into your community engagement projects by challenging students to design and test wind turbines. Wind experiment kits, such as the KidWind MINI Wind Turbine with Blade Design (KW-MWTBD), are available for every level.



# National Instruments LabVIEW and Vernier

Introduce your students to NI LabVIEW™, a programming language used throughout the engineering disciplines. We have sample LabVIEW programs (VIs) for SensorDAQ®, myDAQ®, Go Direct® sensors, and other Vernier hardware.

## With LabQuest Sensors

LQ

### SensorDAQ

**Designed by National Instruments and Vernier for Engineering Education**

SensorDAQ is perfect for teaching NI LabVIEW or for building sensor-controlled student projects using NI LabVIEW software.

**Compatible with Over 80 Vernier Sensors**

- Use with NI LabVIEW software (not compatible with Logger Pro® 3 software).
- LabQuest sensors simply plug into the interface with no additional wiring.
- Works with Windows® only

SDAQ

[vernier.com/sdaq](http://vernier.com/sdaq)

*SensorDAQ carries a one-year warranty.*



### myDAQ Adapter

The myDAQ Adapter can be used to perform data acquisition with more than 75 Vernier LabQuest sensors and the NI myDAQ interface (sold separately). It is designed for use with NI LabVIEW software.

BT-MDAQ

[vernier.com/bt-mdaq](http://vernier.com/bt-mdaq)



### Analog Protoboard Adapter

Use these adapters to connect Vernier LabQuest sensors to a non-Vernier interface, such as NI ELVIS. The connector fits into a standard prototyping board.

BTA-ELV

[vernier.com/bta-elv](http://vernier.com/bta-elv)



## With Go Direct Sensors

GDX

Integrate over 50 wireless sensors into your LabVIEW project to acquire data or control your NI DAQ hardware.

**Go Direct Acceleration**



GDX-ACC

[vernier.com/gdx-acc](http://vernier.com/gdx-acc)

**Go Direct Motion**



GDX-MD

[vernier.com/gdx-md](http://vernier.com/gdx-md)

**Go Direct Force and Acceleration**



GDX-FOR

[vernier.com/gdx-for](http://vernier.com/gdx-for)

**Go Direct Light and Color**



GDX-LC

[vernier.com/gdx-lc](http://vernier.com/gdx-lc)

**Go Direct Rotary Motion**



GDX-RMS

[vernier.com/gdx-rms](http://vernier.com/gdx-rms)

**Go Direct Weather**



[vernier.com/gdx-wthr](http://vernier.com/gdx-wthr)

**See all our products for NI LabVIEW at [vernier.com/ni-labview](http://vernier.com/ni-labview)**

## Bridge Building

**NEW Go Direct®**

### Structures & Materials Tester

Use our new Go Direct Structures & Materials Tester to evaluate the strength of model bridges and engineered structures by measuring the applied load. Utilizing both load and displacement, students can evaluate the properties of materials.

#### Benefits

- The force and displacement sensors connect via Bluetooth® wireless technology or via USB.
- Uses our free Graphical Analysis™ 4 app to collect and analyze data
- Exact force and displacement for bends and breaks
- Accurate positioning for center and off-center loading
- Easy loading for different sizes and shapes
- Includes free *Materials Testing: Beams to Bridges* e-book

GDX-VSMT

[vernier.com/gdx-vsmt](http://vernier.com/gdx-vsmt)



**Vernier International**

5026 Calle Minorga  
Sarasota, FL 34242  
U.S.A.

Phone: +1-941-349-1000  
Fax: +1-941-349-2766

[www.vernier-intl.com](http://www.vernier-intl.com)  
[gezcurra@vernier-intl.com](mailto:gezcurra@vernier-intl.com)

**Vernier Asia Limited**

Block B2A, 13F  
Hoi Bun Industrial Building  
6 Wing Yip Street  
Kwun Tong, Kowloon  
Hong Kong

Phone: +852-2790-3550  
Fax: +852-2790-3551

[www.vernier-intl.com](http://www.vernier-intl.com)  
[toyue@vernier-asia.com](mailto:toyue@vernier-asia.com)

**Vernier Europe Limited**

Unit 3  
Temple Michael Business Park  
Ballinalee Road  
Longford N39 P296  
IRELAND

Phone: +353-43-334 1980

[www.vernier-intl.com](http://www.vernier-intl.com)  
[venglish@vernier-europe.com](mailto:venglish@vernier-europe.com)



#VernierST



## Education is in our company DNA.

For nearly four decades, the people of Vernier Software & Technology have been pioneering technologies and sharing our passion for STEM education to give teachers and students around the world more enriching and relevant classroom experiences.



## Our Guarantee

Most of our products are protected by a 5-year limited warranty. And after five years? We'll make every attempt to repair your equipment.